

CELLA LED


INSTALLATION INSTRUCTIONS



**SUPPLIED
HARDWARE**



ADJUSTABLE COUPLER



5' LOOP CABLE

**REQUIRED TOOLS
& HARDWARE**



BLUE LOCTITE

BEFORE BEGINNING INSTALLATION, **OPEN AND INSPECT ALL PACKAGES** TO ENSURE ALL PARTS LISTED ON THE PACKING LIST ARE INCLUDED AND UNDAMAGED.

IF ANY ITEMS ARE MISSING OR DAMAGED, CONTACT NAVY ISLAND AT (651) 451-4454.

Baffle Installation

If baffles are specific to their location, the label can be found on the top of the baffles and must be installed according to the shop drawings. If at any point the shop drawings differ from these instructions, follow the shop drawings. If you cannot locate them, contact Navy Island for a copy before attempting to install.

Before starting installation, ensure all wet work such as taping, painting, etc. is complete and that the T-Grid, Unistrut or anchors are secure, level and square per manufacturer's instructions, CISCA guidelines and local codes.


Lay the baffle bottom edge down on a soft surface and find the baffle label. Orient the baffle per the shop drawings to ensure correct direction when installed.

Screw adjustment couplers onto the baffle hanger bolts and hang.

Use Blue Loctite to ensure that the adjustment coupler does not unscrew.

Hardware shown in these installation instructions come standard.



SHEET LIST		RECEIVING INSTRUCTIONS: SOUNDPLY ACOUSTICAL PANEL																																																					
<p>NAVY ISLAND INCORPORATED 275 Maple Avenue East West St. Paul, MN 55118 www.navyisland.com</p> 		<p>RECEIVING INSTRUCTIONS: SOUNDPLY ACOUSTICAL PANEL</p> <p>REVISIONS: 1. A revision to the panel design requires changing quantity panels. Panels should be ordered in increments of 100. A minimum of 100 panels is required for a revision to the design.</p> <p>HANDLING AND STORAGE: Acoustical panels are fragile and should be handled with care. Panels should be stored in a dry, well-ventilated area. Do not store panels in a location where they will be exposed to moisture or other environmental conditions. Do not store panels in a location where they will be exposed to direct sunlight. Do not store panels in a location where they will be exposed to extreme temperatures. Do not store panels in a location where they will be exposed to any other conditions that may damage the panels.</p> <p>INSTALLATION OF SOUNDPLY ACOUSTICAL PANELS: Acoustical panels should be installed in a dry, well-ventilated area. Do not install panels in a location where they will be exposed to moisture or other environmental conditions. Do not install panels in a location where they will be exposed to direct sunlight. Do not install panels in a location where they will be exposed to extreme temperatures. Do not install panels in a location where they will be exposed to any other conditions that may damage the panels.</p>																																																					
<table border="1"> <tr><td>MODEL NAME</td><td>REFERENCE DRAWING'S DATE</td><td>JOB APPROVAL</td></tr> <tr><td>DATE</td><td></td><td></td></tr> <tr><td>PROJECT</td><td></td><td></td></tr> <tr><td>LOCATION</td><td></td><td></td></tr> <tr><td>CLIENT</td><td></td><td></td></tr> <tr><td>DESIGNED BY</td><td></td><td></td></tr> <tr><td>CHECKED BY</td><td></td><td></td></tr> <tr><td>DATE</td><td></td><td></td></tr> <tr><td>PROJECT NO.</td><td></td><td></td></tr> </table>	MODEL NAME	REFERENCE DRAWING'S DATE	JOB APPROVAL	DATE			PROJECT			LOCATION			CLIENT			DESIGNED BY			CHECKED BY			DATE			PROJECT NO.			<table border="1"> <tr><td>DATE</td><td></td></tr> <tr><td>PROJECT</td><td></td></tr> <tr><td>LOCATION</td><td></td></tr> <tr><td>CLIENT</td><td></td></tr> <tr><td>DESIGNED BY</td><td></td></tr> <tr><td>CHECKED BY</td><td></td></tr> <tr><td>DATE</td><td></td></tr> <tr><td>PROJECT NO.</td><td></td></tr> </table>	DATE		PROJECT		LOCATION		CLIENT		DESIGNED BY		CHECKED BY		DATE		PROJECT NO.		<p>PLEASE DIRECT ANY QUERIES OR REQUESTS TO THE NAVY ISLAND CONTACT LISTED BELOW</p> <table border="1"> <tr><td>NAME</td><td>NAVY ISLAND CONTACT</td></tr> <tr><td>DESIGNED BY</td><td>NAVY ISLAND CONTACT</td></tr> <tr><td>CHECKED BY</td><td>NAVY ISLAND CONTACT</td></tr> <tr><td>DATE</td><td></td></tr> <tr><td>PROJECT NO.</td><td></td></tr> </table>	NAME	NAVY ISLAND CONTACT	DESIGNED BY	NAVY ISLAND CONTACT	CHECKED BY	NAVY ISLAND CONTACT	DATE		PROJECT NO.	
MODEL NAME	REFERENCE DRAWING'S DATE	JOB APPROVAL																																																					
DATE																																																							
PROJECT																																																							
LOCATION																																																							
CLIENT																																																							
DESIGNED BY																																																							
CHECKED BY																																																							
DATE																																																							
PROJECT NO.																																																							
DATE																																																							
PROJECT																																																							
LOCATION																																																							
CLIENT																																																							
DESIGNED BY																																																							
CHECKED BY																																																							
DATE																																																							
PROJECT NO.																																																							
NAME	NAVY ISLAND CONTACT																																																						
DESIGNED BY	NAVY ISLAND CONTACT																																																						
CHECKED BY	NAVY ISLAND CONTACT																																																						
DATE																																																							
PROJECT NO.																																																							
<p>** PLEASE NOTE **</p> <p>These drawings have been created for the sole use of Navy Island, Inc. The depiction of materials that are not specified by NIS are to be used as a reference only and are not to be used as a substitute for the product. These drawings are to be used in tandem with NIS' Installation Instruction Guidelines to achieve a proper and effective installation. Installation of NIS products, including hardware, that does not meet NIS' Installation Instruction Guidelines voids NIS' warranty and is not the responsibility of Navy Island, Inc.</p>																																																							



To view hardware options using the SoundPly baffle hanger bolt, please see the SoundPly Cella Acoustic Baffle installation hardware brochure.



Electrical Installation

Splice in UL listed electrical box with compliant strain relief and cover plate, accessible for appropriate inspection.



This Luminaire must be mounted or supported independently of an outlet box. Dry Locations Only.

AC Only. Min 90°C Supply Conductors